## 應數一線性代數 2022 春, 期末考

考試時間: 2022/06/23, 09:10 - 12:00,

收卷截止時間:12:10

考卷繳交位置:Google Classroom

## 考試須知:

- 需要開鏡頭麥克風。鏡頭需要看得到你的身邊,你在作答的紙面,還有你在使用的電子資源的畫面(例如電腦 螢幕或平板螢幕)。我不需要直接閱讀螢幕內容,我只要看看畫面的形狀色塊,確定你在看什麼就好。
- 請將紙面答案卷掃成一份 pdf 檔,畫面請清晰並且轉正。第一頁左上寫明姓名學號,每一題前面註明題號,頁 面請按照題號順序編排不要跳號。
- 注意事先準備充足的紙張。考試途中不能向外求助更多的計算紙。

- 1. (10 points) Given the coordinate vector  $\vec{v}_B = \begin{bmatrix} 2 \\ -3 \\ -2 \end{bmatrix}$ . Please find the  $\vec{v}$  and  $\vec{v}'_B$  when the ordered basis B and
  - B' for  $P_2$  are

$$B = (x^2 - x, 2x + 1, -x - 5), B' = (1, (1 + x), (1 + x)^2)$$

Answer:  $\vec{v} =$ \_\_\_\_\_,  $\vec{v}'_B =$ \_\_\_\_\_.

2. (10 points) Express  $\frac{z}{w}$  in the form a + bi, where  $a, b \in \mathbb{R}$ , if

$$z = 6 - i, w = 2 - 3i$$

Answer:  $\frac{z}{w} =$  \_\_\_\_\_.

- 3. (10 points) Find the five fifth roots of -32. (need not simplify)
- 4. (10 points) Let A is an  $3 \times 3$  complex matrix with  $\det(A) = 2 + 5i$ . Please the value for  $\det(iA)$  and  $\det(A^*)$ . Answer:  $\det(iA) =$ \_\_\_\_\_,  $\det(A^*) =$ \_\_\_\_\_.
- 5. (10 points) Find the matrix representations  $R_{B,B}$ ,  $R_{B',B'}$  and an invertible C such that  $R_{B',B'} = C^{-1}R_{B,B}C$  for linear transformation  $T: P_2 \to P_2$  defined by T(p(x)) = p(x-1) + 2p(x),  $B = (x^2, x, 1)$ ,  $B' = (x^2 1, x 3, 2)$ . Answer:  $C_{BB'} =$ \_\_\_\_\_\_,  $C_{B'B} =$ \_\_\_\_\_\_,  $R_{B'B'} =$ \_\_\_\_\_\_ and  $R_{BB} =$ \_\_\_\_\_\_. Is  $C = C_{BB'}$  or  $C_{B'B}$ ? \_\_\_\_\_\_.
- 6. (10 points) Use the process in Schur's Lemma to find an unitary matrix U such that  $U^{-1}AU = R$  is an upper triangular.

$$A = \begin{bmatrix} 5 & 1 & -20\\ 0 & 1 & 3\\ 0 & 2 & -1 \end{bmatrix}$$

Answer: U =\_\_\_\_\_.

7. (10 points) Find a Jordan canonical form and a Jordan basis for the matrix A.

$$A = \begin{bmatrix} 3 & 0 & 2 & -1 & 0 & 0 \\ 0 & 3 & 0 & 0 & 0 & 0 \\ 0 & 0 & 3 & 0 & 0 & 0 \\ 0 & 0 & 0 & 5i & 0 & 0 \\ 0 & 0 & 0 & 0 & 5i & 0 \\ 0 & 0 & 0 & 0 & 0 & 5i \end{bmatrix}$$

Answer: Jordan canonical form =\_\_\_\_\_, Jordan basis = \_\_\_\_\_

8. (10 points) Prove or disprove the following:

$$det(C_{BB'}) = 1$$
 if and only if  $B = B'$ 

- 9. (10 points) Answer the following question.
  - 1. Find the eigenvalues of the given Matrix J.
  - 2. Give the rank and nullity of  $(J \lambda)^k$  for each eigenvalue  $\lambda$  of J and for every positive integer k.
  - 3. Draw schemata of the strings of vectors in the standard basis arising from the Jordan blocks in J.
  - 4. For each standard basis vector  $\vec{e}_k$ , express  $J\vec{e}_k$  as a linear combination of vectors in the standard basis.

[4	1	0	0	0	0	0	0	0]
0	4	0	0	0	0	0	0	0
0	0	9i	1	0	0	0	0	0
0	0	0	9i	0	0	0	0	0
0	0	0	0	9i	1	0	0	0
0	0	0	0	0	9i	1	0	0
0	0	0	0	0	0	9i	0	0
0	0	0	0	0	0	0	4	0
0	0	0	0	0	0	0	0	4

10. (10 points) Prove or disprove whether every unitarily diagonalizable matrix is Hermitian.

11. (10 points) Find all  $a \in \mathbb{C}$ ,  $b \in \mathbb{R}$  such that the following matrix is unitary diagonalizable.

$$\begin{bmatrix} a & -2i \\ bi & 1-i \end{bmatrix}$$

Question:	1	2	3	4	5	6	7	8	9	10	11	Total
Points:	10	10	10	10	10	10	10	10	10	10	10	110
Score:												